



BRAKE TESTING

KT FORMS
RRV-FRM-035

OUR MACHINE REF. NO.	R9297
CUSTOMER REF. NO.	8
MACHINE SERIAL NO.	CGG0232332
MACHINE TYPE	Case 988
TEST DATE	30/08/2022
TEST DRIVER	T White
TEST ASSISTANTS	

TESTS TO BE CONDUCTED ON RAIL WHEELS ON LEVEL TRACK
CALIBRATE SPEED SENSOR BEFORE TESTING
POSITION BOOM TOWARDS THE DIRECTION OF TRAVEL
FORWARDS = PIVOTING AXLE FIRST
REVERSE = FIXED AXLE FIRST
NEVER SLEW WHEN IN MOTION, ALWAYS COMPLETELY COME TO A STOP

Vehicle speed		Maximum stopping distance
mph	(km/h)	m
4	6	5
5	8	6
10	16	18
15	24	36
20	32	60
25	40	89
30	48	125
35	56	170

Static Park Brake Pull Test		
Machine Mass	6%	Pull Load
24715 Kg	1482.9 Kg	6550 Kg
Minimum acceptable pull load is 6% Gross Vehicle weight		

SET MACHINE TO :-
AUTO REVS (ON)
REV DIAL TO MAXIMUM
G/O OPERATION
AXLES MUST BE UNLOCKED WHEN TRAVELING

	FORWARDS	REVERSE
MACHINE MAXIMUM SPEED ON RAIL	10.0 mph	10.0 mph

VEHICLE ONLY

	FORWARDS		REVERSE	
	mph	m	mph	m
MAXIMUM MACHINE SPEED	10.0 mph	6.0 m	10.0 mph	6.0 m
	10.0 mph	6.0 m	10.0 mph	6.0 m
	10.0 mph	6.5 m	10.0 mph	6.6 m
4 MPH (6 KM/H)	4.0 mph	0.9 m	4.0 mph	0.6 m
	4.0 mph	0.8 m	4.0 mph	0.6 m
	4.0 mph	0.6 m	4.0 mph	0.6 m
MIDWAY BETWEEN 4 MPH (6 KM/H) & MAX	7.0 mph	3.0 m	7.0 mph	3.0 m
	7.0 mph	3.2 m	7.0 mph	3.5 m
	7.0 mph	3.5 m	7.0 mph	3.0 m

ANY EXTRA RESULTS (NOT REQUIRED)

	FORWARDS		REVERSE	
	mph	m	mph	m
	mph	m	mph	m
	mph	m	mph	m
	mph	m	mph	m



BRAKE TESTING

KT FORMS
RRV-FRM-035

OUR MACHINE REF. NO.	R9297
CUSTOMER REF. NO.	8

VEHICLE TARE WEIGHT	24,715.00 te
---------------------	--------------

TRAILER NO1		TRAILER NO2	
TRAILER WEIGHT		TRAILER WEIGHT	
BLOCK 1 WEIGHT		BLOCK 1 WEIGHT	
BLOCK 2 WEIGHT		BLOCK 2 WEIGHT	
BLOCK 3 WEIGHT		BLOCK 3 WEIGHT	
BLOCK 4 WEIGHT		BLOCK 4 WEIGHT	
BLOCK 5 WEIGHT		BLOCK 5 WEIGHT	
BLOCK 6 WEIGHT		BLOCK 6 WEIGHT	
BLOCK 7 WEIGHT		BLOCK 7 WEIGHT	
BLOCK 8 WEIGHT		BLOCK 8 WEIGHT	
TOTAL		TOTAL	

EACH TRAILER MUST WEIGH NO LESS THAT THE TARE WEIGHT OF THE VEHICLE

VEHICLE AND ONE TRAILER BEING PULLED (PARK BRAKE CONNECTED ONLY)

	FORWARDS		REVERSE	
	mph	m	mph	m
MAXIMUM MACHINE SPEED	mph	m	mph	m
	mph	m	mph	m
	mph	m	mph	m
4 MPH (6 KM/H)	mph	m	mph	m
	mph	m	mph	m
	mph	m	mph	m
MIDWAY BETWEEN 4 MPH (6 KM/H) & MAX	mph	m	mph	m
	mph	m	mph	m
	mph	m	mph	m
ANY EXTRA RESULTS	mph	m	mph	m
ANY EXTRA RESULTS	mph	m	mph	m
ANY EXTRA RESULTS	mph	m	mph	m
ANY EXTRA RESULTS	mph	m	mph	m

VEHICLE AND TWO TRAILER BEING PULLED (PARK AND SERVICE BRAKE CONNECTED)

	FORWARDS		REVERSE	
	mph	m	mph	m
MAXIMUM MACHINE SPEED	mph	m	mph	m
	mph	m	mph	m
	mph	m	mph	m
4 MPH (6 KM/H)	mph	m	mph	m
	mph	m	mph	m
	mph	m	mph	m
MIDWAY BETWEEN 4 MPH (6 KM/H) & MAX	mph	m	mph	m
	mph	m	mph	m
	mph	m	mph	m
ANY EXTRA RESULTS	mph	m	mph	m
ANY EXTRA RESULTS	mph	m	mph	m
ANY EXTRA RESULTS	mph	m	mph	m
ANY EXTRA RESULTS	mph	m	mph	m