


Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Unlocked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Locked Road




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP - Tandem Lift
Unlocked Rail Cant -150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP - Tandem Lift
Unlocked Rail Cant -50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP - Tandem Lift
Unlocked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP - Tandem Lift
Unlocked Rail Cant 150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP - Tandem Lift
Locked Rail Cant -150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP - Tandem Lift
Locked Rail Cant -50mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP - Tandem Lift
Locked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6


MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP - Tandem Lift
Locked Rail Cant 150mm



MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP - Tandem Lift
Unlocked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	47.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP - Tandem Lift
Locked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	47.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP
Unlocked Rail Cant -150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP
Unlocked Rail Cant -50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP
Unlocked Rail Cant 50mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP
Unlocked Rail Cant 150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP
Locked Rail Cant -150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP
Locked Rail Cant -50mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP
Locked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP
Locked Rail Cant 150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP
Unlocked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	21-Jun-2018
	SERIAL No: 129075		
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP
Locked Road




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift
Unlocked Rail Cant -150mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift
Unlocked Rail Cant -50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Case 988	REFERENCE:	
	129075	DATE OF CHART:	21-Jun-2018
	4.37m + 2.12m	SAFETY FACTOR:	45.0%

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift
Unlocked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift
Unlocked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift
Locked Rail Cant -150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift
Locked Rail Cant -50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift
Locked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift
Locked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP - Tandem Lift
Unlocked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	47.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP - Tandem Lift
Locked Road




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	47.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	21-Jun-2018
	SERIAL No: 129075		
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 150mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift QH
Unlocked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift QH
Locked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH - Tandem Lift
Unlocked Rail Cant -150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH - Tandem Lift
Unlocked Rail Cant -50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH - Tandem Lift
Unlocked Rail Cant 50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH - Tandem Lift
Unlocked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH - Tandem Lift
Locked Rail Cant -150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH - Tandem Lift
Locked Rail Cant -50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH - Tandem Lift
Locked Rail Cant 50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift QH - Tandem Lift
Locked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift QH - Tandem Lift
Unlocked Road




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	47.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift QH - Tandem Lift
Locked Road



Units in Tonnes

- 1
- 2
- 3
- 4
- 6

MACHINE & MODEL:	Case 988	REFERENCE:	
SERIAL No:	129075	DATE OF CHART:	21-Jun-2018
EQUIPMENT:	4.37m + 2.12m	SAFETY FACTOR:	47.0%
COMMENT:			