


**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant -150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant -50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant 150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant -50mm**




Units in Tonnes

— 1    — 2    — 3    — 4    — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant 50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant 150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			



**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift BP**  
**Unlocked Road**




Units in Tonnes

— 1 — 2 — 3 — 4 — 5 — 6 — 7

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift BP**  
**Locked Road**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP - Tandem Lift**  
**Unlocked Rail Cant -150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP - Tandem Lift**  
**Unlocked Rail Cant -50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP - Tandem Lift**  
**Unlocked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP - Tandem Lift**  
**Unlocked Rail Cant 150mm**




Units in Tonnes

— 1    — 2    — 3    — 4    — 6

<b>MACHINE &amp; MODEL:</b> <b>SERIAL No:</b> <b>EQUIPMENT:</b> <b>COMMENT:</b>	Case 988 231295 4.37m + 2.12m	<b>REFERENCE:</b> <b>DATE OF CHART:</b> <b>SAFETY FACTOR:</b>	4-Apr-2018 45.0%

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP - Tandem Lift**  
**Locked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP - Tandem Lift**  
**Locked Rail Cant -50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			



**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP - Tandem Lift**  
**Locked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP - Tandem Lift**  
**Locked Rail Cant 150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift BP - Tandem Lift**  
**Unlocked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift BP - Tandem Lift**  
**Locked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP**  
**Unlocked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP**  
**Unlocked Rail Cant -50mm**




Units in Tonnes

— 1    — 2    — 3    — 4    — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP**  
**Unlocked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP**  
**Unlocked Rail Cant 150mm**




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			



**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP**  
**Locked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP**  
**Locked Rail Cant -50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP**  
**Locked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP**  
**Locked Rail Cant 150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift ALP**  
**Unlocked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift ALP**  
**Locked Road**




Units in Tonnes

— 1 — 2 — 3 — 4 — 5 — 6 — 7

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	4-Apr-2018
	<b>SERIAL No:</b> 231295		
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift**  
**Unlocked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift**  
**Unlocked Rail Cant -50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			



**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift**  
**Unlocked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift**  
**Unlocked Rail Cant 150mm**




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift**  
**Locked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift**  
**Locked Rail Cant -50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift**  
**Locked Rail Cant 50mm**




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift ALP - Tandem Lift**  
**Locked Rail Cant 150mm**




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift ALP - Tandem Lift**  
**Unlocked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift ALP - Tandem Lift**  
**Locked Road**




Units in Tonnes

— 1 — 2 — 3 — 4 — 5 — 6 — 7

<b>MACHINE &amp; MODEL:</b> <b>SERIAL No:</b> <b>EQUIPMENT:</b> <b>COMMENT:</b>	Case 988 231295 4.37m + 2.12m	<b>REFERENCE:</b> <b>DATE OF CHART:</b> <b>SAFETY FACTOR:</b>	4-Apr-2018 47.0%



**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant -150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant -50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant 150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant -150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant -50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant 150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			



**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift QH**  
**Unlocked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift QH**  
**Locked Road**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b> <b>SERIAL No:</b> <b>EQUIPMENT:</b> <b>COMMENT:</b>	Case 988 231295 4.37m + 2.12m	<b>REFERENCE:</b> <b>DATE OF CHART:</b> <b>SAFETY FACTOR:</b>	4-Apr-2018 71.0%

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH - Tandem Lift**  
**Unlocked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH - Tandem Lift**  
**Unlocked Rail Cant -50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH - Tandem Lift**  
**Unlocked Rail Cant 50mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	4-Apr-2018
	<b>SERIAL No:</b> 231295		
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH - Tandem Lift**  
**Unlocked Rail Cant 150mm**




Units in Tonnes

- 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH - Tandem Lift**  
**Locked Rail Cant -150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH - Tandem Lift**  
**Locked Rail Cant -50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			



**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH - Tandem Lift**  
**Locked Rail Cant 50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH - Tandem Lift**  
**Locked Rail Cant 150mm**




Units in Tonnes

— 1 — 2 — 3 — 4 — 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift QH - Tandem Lift**  
**Unlocked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			

**Case 988**  
**Max Capacity Contours of Radius(m) Plots 2.1m Dipper**  
**Level Ground Height 2m Lift QH - Tandem Lift**  
**Locked Road**



Units in Tonnes

- 1
- 2
- 3
- 4
- 6

<b>MACHINE &amp; MODEL:</b>	Case 988	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	231295	<b>DATE OF CHART:</b>	4-Apr-2018
<b>EQUIPMENT:</b>	4.37m + 2.12m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			